



## Ivermectin 3mg Tablets

**Common Uses:** It is used to treat infections caused by worms.

## Instructions for Use

### Before Using

---

**WHAT DO I NEED TO TELL MY DOCTOR BEFORE I TAKE THIS DRUG?**

**TELL YOUR DOCTOR:** If you have an allergy to ivermectin or any other part of this drug.

**TELL YOUR DOCTOR:** If you are allergic to this drug; any part of this drug; or any other drugs, foods, or substances. Tell your doctor about the allergy and what signs you had. This drug may interact with other drugs or health problems. Tell your doctor and pharmacist about all of your drugs (prescription or OTC, natural products, vitamins) and health problems. You must check to make sure that it is safe for you to take this drug with all of your drugs and health problems. Do not start, stop, or change the dose of any drug without checking with your doctor.

### How to Use

---

**HOW IS THIS DRUG BEST TAKEN?** Use this drug as ordered by your doctor. Read all information given to you. Follow all instructions closely. Take on an empty stomach. Take with a full glass of water. Drink lots of noncaffeine liquids unless told to drink less liquid by your doctor

**HOW DO I STORE AND/OR THROW OUT THIS DRUG?** Store at room temperature. Store in a dry place. Do not store in a bathroom. Keep all drugs in a safe place. Keep all drugs out of the reach of children and pets. Throw away unused or expired drugs. Do not flush down a toilet or pour down a drain unless you are told to do so. Check with your pharmacist if you have questions about the best way to throw out drugs. There may be drug take-back programs in your area

**WHAT DO I DO IF I MISS A DOSE?** Only 1 dose of this drug is needed. If you miss your dose, take it as soon as you think about it.

### Drug Details

---

#### **Ingredient Name**

Ivermectin (Systemic) (eye ver MEK tin)

## Drug Manufacturer

EDENBRIDGE PHARMACEUTICALS

## Side Effects and Cautions

### Possible Side Effects

---

WHAT ARE SOME SIDE EFFECTS THAT I NEED TO CALL MY DOCTOR ABOUT RIGHT AWAY? WARNING/CAUTION: Even though it may be rare, some people may have very bad and sometimes deadly side effects when taking a drug. Tell your doctor or get medical help right away if you have any of the following signs or symptoms that may be related to a very bad side effect: Signs of an allergic reaction, like rash; hives; itching; red, swollen, blistered, or peeling skin with or without fever; wheezing; tightness in the chest or throat; trouble breathing, swallowing, or talking; unusual hoarseness; or swelling of the mouth, face, lips, tongue, or throat. Very bad dizziness or passing out. Change in eyesight, eye pain, or very bad eye irritation. Very bad skin irritation. Joint pain. Swelling. Fever. Swollen gland. A very bad and sometimes deadly brain problem has happened in some patients who also have Loa loa infection. This is rare. Tell your doctor if you have been to West Africa or Central Africa where you can get this infection. Tell your doctor right away if you have signs like neck pain, back pain, red eyes, eye bleeding, shortness of breath, seizures, trouble walking or standing, confusion, feeling very tired or weak, or if you are unable to control your bladder or bowels

WHAT ARE SOME OTHER SIDE EFFECTS OF THIS DRUG? All drugs may cause side effects. However, many people have no side effects or only have minor side effects. Call your doctor or get medical help if any of these side effects or any other side effects bother you or do not go away: Itching. Skin irritation. These are not all of the side effects that may occur. If you have questions about side effects, call your doctor. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-332-1088. You may also report side effects at <https://www.fda.gov/medwatch>.

### Cautions

---

Tell all of your health care providers that you take this drug. This includes your doctors, nurses, pharmacists, and dentists. You will need to have a stool exam after taking this drug to make sure the infection is gone. Some patients may need to take another dose of this drug to treat the infection. Talk with the doctor. To lower the chance of feeling dizzy or passing out,

rise slowly if you have been sitting or lying down. Be careful going up and down stairs. Tell your doctor if you are pregnant or plan on getting pregnant. You will need to talk about the benefits and risks of using this drug while you are pregnant. Tell your doctor if you are breast-feeding. You will need to talk about any risks to your baby.

## In Case of Overdose

---

If you think there has been an overdose, call your poison control center or get medical care right away. Be ready to tell or show what was taken, how much, and when it happened.

## Additional Information

---

If your symptoms or health problems do not get better or if they become worse, call your doctor. Do not share your drugs with others and do not take anyone else's drugs. Some drugs may have another patient information leaflet. Check with your pharmacist. If you have any questions about this drug, please talk with your doctor, nurse, pharmacist, or other health care provider.